


STRETTO

- Arkilight Stretto designed with a monoblock lens optic to provide grazing effect in glare control
- Higher glare control compared to other lens grazer lighting solutions
- To be configured with monochrome LED light sources
- Flexible modularity with linear alignment accessories
- Adaptable profile for cabling (Canalina) in order to run connector and cable through a secondary space
- Lens optics with narrow beam light distribution
- Optimum heat dissipation performance for high lumen LED strips and LED modules
- High quality aluminium alloy with premium anodized finish
- Various finishing options such as anodizing and customized RAL finishing
- Stretto LED profiles configured with dedicated accessories, mounting brackets and end caps



STRETTO_H90



PRODUCT FEATURES

Technical Data

Mounting Type	Surface Mounted Ceiling Surface Mounted Wall Surface Mounted Floor Suspended
Profile Trim Type	With Trim
Light Distribution	Narrow Beam Lens
Optic Type	Lens Grazer
Bending Options	Non - Bendable
Material	Aluminum 6060/6063
Cooling Capacity	45 W/m
Led Path Width	17 mm
IP Protection	IP20

Finish/Colour

Anodized Matte Finish	Matte Light Gray Anodized
-----------------------	---------------------------

Light Distribution

Narrow Beam Lens	√
------------------	---

Mounting Type

Surface Mounted Ceiling	√
Surface Mounted Wall	√
Surface Mounted Floor	√
Suspended	√

Profile Trim Type

With Trim √

Application Type

Graze Lighting √

Optic Type

Lens Grazer √